



Choose the Englert® **TRADITIONAL 225 RHS** Rainwater Harvesting System for your residential gardening projects. This versatile system is extremely compact and offers a great fit for tight spaces and narrow yards. Easily locate your system below a downspout for quick installation and minimal disturbance to existing landscapes. This user friendly system is ideal for light-duty watering needs.

### System Features

- 225 Gal. Capacity with (3) 75 Gal. One-piece Rotationally Molded Tanks
- 3/4" Threaded Hose Bib Connection
- 2" High Flow Top and Bottom Ports
- Integral Downspout Filter Pad
- Child Safe and Mosquito Proof
- Constructed of UV-resistant Black Polyethylene
- 1 HP Automatic Pump with Run-dry Protection and Connection Kit
- Optional Pump Enclosure
- Sign and Label Kit



### Advantages

- ✓ Easily installed as a complete kit with all installation accessories
- ✓ Expandable design for unlimited storage
- ✓ Square design for tight spaces
- ✓ Single source warranty
- ✓ Low cost complete system



**\*WARRANTY:** Englert offers a One (1) Year Limited Warranty for Traditional Series Tanks which provides for the repair or replacement of any defect in a Traditional Series tank caused by our manufacturing process. For all other system components, Englert offers a standard One (1) Year Limited Warranty which provides for the supply of replacements for any such products that are determined to be defective. The Limited Warranty applies only to products and systems that have been designed and installed in accordance with Englert's design and installation instructions. Certain conditions and exclusions may apply.


NOTE: Graphic representations are for illustrative purposes only.  
Data subject to alterations.



# TRADITIONAL 225 RHS

## RAINWATER HARVESTING SYSTEM

### Technical Data



### TRADITIONAL 225 RHS SYSTEM INCLUDES:


- ① 2" Dia. Flex Couplers
- ② 2" Dia. Flex Overflow
- ③ 3 x 75 Gal. Tanks with Pipe Penetrations and Fittings
- ④ Polyethylene Connector Assembly
- ⑤ Portable Pump
- ⑥ Sign and Label Kit



### Complete RHS Systems


PART NO.	DESCRIPTION	OET22530015 Additional 75 Gal. Tank
089B001	ENGLERT TRADITIONAL 225 RHS SYSTEM	

### Tank Dimension



(1) 75 Gal. Tank: **Depth** 20 In. **Length** 24 In. **Height** 46 In.

### Pump Curve



### Pump Specs

**Power** 1 x 110 VAC  
**Weight** 29 Lbs.  
**Flow** Up to 20 GPM  
**Lift** 25 Ft.  
**FLA** 10.4

ENGLERT, INC.

1200 Amboy Avenue, Perth Amboy, NJ 08861

Tel: 1-800-ENGLERT • Fax: 1-888-389-0520 • [www.englertinc.com](http://www.englertinc.com)



## CLASSIC 400 RHS

### RAINWATER HARVESTING SYSTEM



Choose the Englert® **CLASSIC 400 RHS** Rainwater Harvesting System for your home. The slim tank design offers a great fit for tight spaces and narrow yards. Easily locate your system below a down-spout for quick installation and minimal disturbance to existing landscapes. This user friendly system is ideal for small to mid-range watering needs and is extremely cost effective.

### System Features

- 400 Gal. One-piece Rotationally Molded Polyethylene Tank
- Tank Available in 3 Popular Colors (Desert Tan, Forest Green, Black)
- 3 Year Warranty\*
- Screened 4" Overflow
- Leaf Eater® Downspout Filter
- Rain Harvesting First Flush Diverter Kit
- 3" Calming Inlet
- 1 HP Automatic Pump with Run-dry Protection and Connection Kit
- Sign and Label Kit



### Advantages

- ✓ Easily installed as a complete kit with all installation accessories
- ✓ Single source warranty
- ✓ Slim design for tight spaces
- ✓ Low cost complete system

\*WARRANTY: Englert offers a Three (3) Year Limited Warranty for Classic Series Tanks which provides for the repair or replacement of any defect in a Classic Series tank caused by our manufacturing process. For all other system components, Englert offers a standard One (1) Year Limited Warranty which provides for the supply of replacements for any such products that are determined to be defective. The Limited Warranty applies only to products and systems that have been designed and installed in accordance with Englert's design and installation instructions. Certain conditions and exclusions may apply.


NOTE: Graphic representations are for illustrative purposes only.  
Data subject to alterations.



# CLASSIC 400 RHS

## RAINWATER HARVESTING SYSTEM

### Technical Data



### CLASSIC 400 RHS SYSTEM INCLUDES:


- ① Downspout Filter
- ② First Flush Diverter Kit with Piping
- ③ Screened Overflow, 4" Dia.
- ④ 400 Gal. Tank with Pipe Penetrations and Fittings
- ⑤ Portable Pump Kit




### Complete RHS Systems

PART NO.	DESCRIPTION	COLOR
089B002B	ENGLERT CLASSIC 400 RHS	BLACK
089B002T	ENGLERT CLASSIC 400 RHS	DESERT TAN
089B002G	ENGLERT CLASSIC 400 RHS	FOREST GREEN

### Tank Dimension



### Pump Curve



### Pump Specs

Power	1 x 110 VAC
Weight	29 Lbs.
Flow	Up to 20 GPM
Lift	25 Ft.
FLA	10.4

ENGLERT, INC.

1200 Amboy Avenue, Perth Amboy, NJ 08861

Tel: 1-800-ENGLERT • Fax: 1-888-389-0520 • [www.englertinc.com](http://www.englertinc.com)



## ULTRA 1700 RHS

### RAINWATER HARVESTING SYSTEM



The Englert® **ULTRA 1700 RHS** Rainwater Harvesting System is ideal for residential and light industrial applications. It's large capacity and durable tank construction make it the system of choice when looking for a below ground solution for rainwater harvesting. The system is designed to maximize collection potential from numerous downspouts with one single filter. Economically priced and easy to install this state-of-the-art rainwater harvesting system is built to last.

### System Features

- 1,700 Gal. One-piece Rotationally Molded Tank
- Interconnect Tanks for Large Capacities
- 3 Year Tank Warranty\*
- Pre-modified Tank with Inlets & Overflows, 4" or 6"
- Calming Inlet, 4" or 6"
- Manway Riser for Pump Access
- 1 HP ECOS Automatic Submersible Pump with Run-dry Protection
- Floating Extractor
- Sign and Label Kit



### Advantages

- ✓ Easily installed as a complete kit with all installation accessories
- ✓ Single source warranty
- ✓ No tank to look at
- ✓ Low cost complete system

*An economical rainwater system for all budgets.  
Ideal for home irrigation needs.*

\*WARRANTY: Englert offers a Three (3) Year Limited Warranty for Ultra Series Tanks which provides for the repair or replacement of any defect in an Ultra Series tank caused by our manufacturing process. For all other system components, Englert offers a standard One (1) Year Limited Warranty which provides for the supply of replacements for any such products that are determined to be defective. The Limited Warranty applies only to products and systems that have been designed and installed in accordance with Englert's design and installation instructions. Certain conditions and exclusions may apply.




# ULTRA 1700 RHS

## RAINWATER HARVESTING SYSTEM

### Technical Data

### ULTRA 1700 RHS SYSTEM INCLUDES:

- ① Tank Inlet Filtration with Inlet and Overflow Seals
- ② Calming Inlet Assembly
- ③ 1,700 Gal. Polyethylene Water Storage Tank with Pipe Penetrations and Fittings
- ④ Screened U-vent
- ⑤ Submersible Pump System with Discharge Piping and Floating Extractor
- ⑥ Design Drawings and Specifications (Not Shown)



### Pump Data

PART NO.	VOLTAGE	HP	FLA	FLOW RANGE	MAX PSI	RPM	WT.
OEU170040309A	1 x 110 V	0.5	12	5-30 GPM	67	3400	40 Lbs.

NOTE: Graphic representations are for illustrative purposes only.  
Data subject to alterations.

© 2009 All rights reserved.  
Printed in USA 90091G

ENGLERT, INC.

1200 Amboy Avenue, Perth Amboy, NJ 08861

Tel: 1-800-ENGLERT • Fax: 1-888-389-0520 • [www.englertinc.com](http://www.englertinc.com)